


2011 Palazzo<sup>™</sup>, Safe 'N Sound<sup>®</sup>,  
Masonite<sup>®</sup> Molded Panel & Flush

# interior doors



**create**



**design**

**Environmentally  
Beautiful<sup>™</sup>**



MASONITE. THE BEAUTIFUL DOOR.®

Our dedication to producing products that you can trust and rely on for performance and beauty started over 80 years ago when a researcher, engineer and inventor by the name of William H. Mason made a revolutionary discovery. He found that post-industrial wood chips could be recycled to create building products, making the environment an integral part of the foundation on which Masonite was built.

We remain relentlessly committed to delivering product, service and design innovations that enhance beauty and functionality. These innovations make your home more beautiful and create greater value for our customers throughout the world.

## index

- Palazzo Series® ..... 2
- Anniversary Collection..... 4
- Molded Panel Series..... 6
- Molded Panel Safe 'N Sound,  
Emerald Safe 'N Sound  
& Emerald Hollow Core ..... 8
- Molded Panel Green Association  
& Certification ..... 9
- Flush Series ..... 10
- Hardboard Safe 'N Sound,  
Emerald Safe 'N Sound  
& Emerald Hollow Core ..... 12
- Hardboard Green  
Association & Certification..... 13
- Design & Size Options ..... 14



# PALAZZO SERIES®



### PALAZZO™ FEATURES


- Distinct raised moulding combined with unique, high-definition panel profiles
- Exceptionally smooth surface, ideal for painting and decorating
- Masonite's unique Engineered Component Construction – Core reinforcements are strategically positioned throughout the door in the stiles, rails and panels to maximize performance, designed to have the weight\*, feel and richness of stile & rail wood doors, along with the performance benefits of a composite wood product.
- Three architectural designs available in both 1-3/8" and 1-3/4" doors
- Also available with a 20-minute fire rating (1-3/4" only)
- United States Patent #6,588,162, other patents pending

Note: \* Core reinforcements are made from composite wood substrates.


\* Weight comparison is based on matching or exceeding the weight of a domestic pine, stile & rail, 2 panel wood door.



**Bellagio®**  
2 arched panels



**Capri®**  
2 square panels



**Treviso™**  
3 panel camber-top

# transforming

## interiors

## Presenting the Palazzo Series®

Masonite's Palazzo Series® Molded Panel Doors feature distinct raised moulding combined with unique, high-definition, European-style panel profiles like no other door. Three extraordinary architectural designs with the feel and richness of stile & rail wood doors include: the 2 panel arched Bellagio®, the 2 panel square top Capri® and the 3 panel camber top Treviso™. All three Palazzo designs make a grand impression, adding elegance and sophistication to any room.

# exceptional definition & elegance

# Anniversary Collection



honoring  
over 80 years of innovation

## Presenting the Anniversary Collection



Designed to commemorate our 80th year, these four beautiful timeless designs offer the ultimate in wood door authenticity with the benefits of a composite wood product.

- Saddlebrook – Country-inspired 1 panel v-groove plank design
- Cheyenne – Features unique beaded planks with a custom panel profile
- Glenview – Architecturally designed in Craftsman/Mission style
- Riverside – Versatile design featuring molded shaker panel profile

Anniversary Collection Doors Feature:


- Feature lines distinguish architectural correctness of authentic stile & rail wood doors
- Smooth surface, perfect for painting and decorating
- Optional Safe 'N Sound' / Emerald™ "green" specification offered for all styles
- Full range of passage door and bifold widths available
- 20-minute fire-rating doors available in select sizes (1-3/4")



### Saddlebrook™ features

Saddlebrook™ 1 panel plank


- New, unique v-groove plank design
- 80" and 96" heights available
- Also available in 45- and 60-minute fire-rating
- Coordinates with Barrington® Flagstaff™ plank fiberglass entry doors



### Cheyenne® features

Cheyenne® 2 panel camber-top plank smooth


- New, unique panel/sticking profile
- Beautiful, beaded planked design
- 80" and 96" heights available
- Coordinates with Belleville® Cheyenne® and Barrington® Sierra™ fiberglass entry doors



### Glenview™ features

Glenview™ 3 panel Craftsman smooth


- Craftsman/Mission style architectural design
- 80" height available
- Coordinates with our Barrington® or Belleville® Craftsman Fiberglass Entry Doors



### Riverside™ features

Riverside™ 5 panel equal smooth

- Molded shaker panel profile
- 80", 84" and 96" heights available (96" Riverside features 6 panels)





beautifully  
engineered doors









**Masonite®**  
MOLDED PANEL SERIES

Molded Panel Doors from Masonite are more durable, and resist warping, shrinking, and cracking better than solid wood doors. These beautifully engineered doors suit any décor and are available in either smooth or textured finishes with matching bifolds. All doors come primed for easy finishing in a variety of widths and heights.

Best of all, no old growth timber is harvested solely for the production of Molded Panel Doors from Masonite. By-product wood chips and timber from sustainably managed forests are used by facilities with a commitment to environmental excellence in every step of the door manufacturing process. Our commitment to engineer the best products in an environmentally responsible way results in a product that is both beautiful and durable.

Masonite Molded Panel Doors are available in a variety of construction options:

- Standard hollow core and Emerald™ Hollow Core construction
- Safe 'N Sound™ and Emerald™ Safe 'N Sound™ solid core construction
- 20-, 45- and 60-minute fire doors in select heights and designs (1-3/4" only)



# bring "green & quiet" indoors

## MOLDED Safe 'N Sound® & Emerald Solid Core doors



Enjoy the heft and feel of solid wood in an interior door engineered with recycled products

Answering the call for a "green" interior door, comes the environmentally responsible line of Molded Safe 'N Sound®, Molded Emerald™ Safe 'N Sound and Molded Emerald Hollow Core doors engineered with environmentally friendly attributes for your peace of mind.

**safe'n'sound**  
SOLID CORE DOORS



Masonite's environmentally responsible Molded Safe 'N Sound (SNS) interior door is manufactured with DorCor™, an essential ingredient in making this product "green." DorCor is a low density fiberboard made from wheat straw, an annually renewable, agricultural, wheat by-product.  
(1-3/8" thickness)

**safe'n'sound**  
EMERALD™ SOLID CORE DOORS



The Molded Emerald Safe 'N Sound (ESNS) uses the same DorCor ingredient as the Safe 'N Sound with the added attributes of being Forest Stewardship Council (FSC) certified and containing No Added Urea-Formaldehyde, plus a 20-minute fire rating is available in 1-3/4" thickness.  
(1-3/8" & 1-3/4" thickness)  
available in 20-minute fire-rated option with 1-3/4" thickness

**hollow core**  
EMERALD™ SOLID CORE DOORS



The Molded Emerald Hollow Core (EHC) door is the perfect "green" solution for budget-minded customers.  
(1-3/8" thickness)

	Molded Panel green association & certification cross reference	<b>safe'n'sound</b> SOLID CORE DOORS	<b>hollow core</b> EMERALD™ SOLID CORE DOORS	<b>safe'n'sound</b> EMERALD™ SOLID CORE DOORS	
		All Designs & Species	Molded Only	Molded Only	
		1-3/8" Only	1-3/8" Only	1-3/8", 1-3/4" 1-3/4" 20-minute	
GREEN ATTRIBUTES	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	
	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1		LEED NC - MR 6.0; NAHB 606.1	
	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	
	CARB 93120 Compliant (California Air Resources Board)	**	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	
	Extremely Low VOC Emissions		NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	
	No Added Urea-Formaldehyde (NAUF)		LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	
	FSC Certified Wood (Forest Stewardship Council)			LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
	PERFORMANCE	Made with sound-reducing, solid core - DorCor™	✓		✓
		Offers heft and feel of solid wood	✓		✓
Ready to paint and decorate		✓	✓	✓	

\*\*Standard Safe 'N Sound doors are available as CARB Phase 1 compliant in many areas of the country. For technical specification information, visit [www.masonite.com](http://www.masonite.com) or contact us at 800-663-DOOR (3667). See page 13 for further details.

## design & size options

### Molded Panel Series



### Anniversary Collection



	1-3/8"	1-3/4"	1-3/4" 20-Minute Fire-Rated	Height 80" 84" 96"	Width
SNS	✓			✓	12" - 36"
ESNS	✓	✓	✓	✓	12" - 36"
EHC	✓			✓	12" - 36"

All above available as bifolds (1-3/8" only)

Masonite's line of Legacy™ Prefinished Flush Doors provides convenience and versatility. The finish is a precise simulation of authentic wood-grain. Protected with a high quality topcoat, these doors are extremely durable and simple to maintain. They are also available in matching bifolds.

\*NOTE:  
All Legacy Prefinished Flush Door colors are not available in all regions. Colors may vary in actuality to printed pieces.

LEGACY™ PREFINISHED FLUSH DOORS



Legacy™ Mendocino Oak   Legacy™ Walnut   Legacy™ Western Oak   Legacy™ Golden Oak   Legacy™ Crystal White



Legacy™ Tru Oak   Legacy™ Chesapeake   Legacy™ Natural Oak   Legacy™ Imperial Oak   Legacy™ Liberty Oak

HARDBOARD & WOOD VENEER FLUSH DOORS



Raw Hardboard   Primed Hardboard   Oak   Birch   Lauan/Okoume

Masonite's line of wood veneer doors offer the visual beauty and refinement of natural wood doors. All flush doors are available with hollow or solid core construction and matching bifolds.

See page 12 for eco-friendly flush door options.

\*NOTE:  
Colors may vary in actuality to printed pieces. Other species are available for special order.



# Masonite Flush Doors

Accenting interiors  
with the beauty  
and refinement  
of natural wood

Masonite Flush Doors are an excellent choice for a sleek contemporary look and perfect option for small budget renovations.

- Choose from a variety of finish options from primed hardboard to wood designs
- Clean, simple design ideal for home and office
- Select designs offered in coordinating bifold
- Available in 1-3/8" or 1-3/4" thickness
- 20, 45, 60 and 90-minute fire-rating available in 1-3/4" thickness

See page 12 for eco-friendly design options

# Introducing Masonite's New FLUSH Safe 'N Sound® & Emerald "green" doors

MASONITE® FLUSH SAFE 'N SOUND® AND EMERALD (ECO-FRIENDLY) DOORS



Flush Hardboard

Enjoy the heft and feel of solid wood in an interior door engineered with recycled products

Bring the qualities of recycled, eco-friendly engineered flush doors into your home for better living.

Masonite "green" doors meet strict requirements qualifying these doors as FSC certified and contributing to "green" certifications including LEED® and NAHB National Green Building Program™ and other local and regional environmental initiatives.



Masonite's environmentally responsible Flush Safe 'N Sound (SNS) interior doors are manufactured with DorCor™, an essential ingredient in making this product "green." DorCor is a low density fiberboard made from wheat straw, an annually renewable, agricultural, wheat by-product. (1-3/8" thickness)



Primed Hardboard Emerald Safe 'N Sound (ESNS) uses the same DorCor ingredient as the Safe 'N Sound with the added attributes of being Forest Stewardship Council (FSC) certified and containing No Added Urea-Formaldehyde. (1-3/8" thickness)



Primed Hardboard Emerald Hollow Core (EHC) door is the perfect "green" solution for budget-minded customers. (1-3/8" thickness)



	green association & certification cross reference	safe'n sound SOLID CORE DOORS	hollow core	safe'n sound EMERALD™ SOLID CORE DOORS	
		All Designs & Species	Primed Hardboard Only	Primed Hardboard Only	
		1-3/8" Only	1-3/8" Only	1-3/8" Only	
GREEN ATTRIBUTES	Pre-Consumer Recycled Content	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	LEED H - MR 2.2; LEED NC - MR 4.1 & 4.2; NAHB - 604.1	
	Resource Efficient Materials	NAHB - 607.1	NAHB - 607.1	NAHB - 607.1	
	Rapidly Renewable Materials	LEED NC - MR 6.0; NAHB 606.1		LEED NC - MR 6.0; NAHB 606.1	
	Environmentally Preferred Products / Low Emissions Adhesives and Sealants	LEED H - MR 2.2	LEED H - MR 2.2	LEED H - MR 2.2	
	CARB 93120 Compliant (California Air Resources Board)	**	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	CARB 93120 Ultra Low Emitting Formaldehyde (ULEF)	
	Extremely Low VOC Emissions		NAHB - 901.4, CARB 93120 ULEF	NAHB - 901.4, CARB 93120 ULEF	
	No Added Urea-Formaldehyde (NAUF)		LEED NC EQ 4.4; NAHB 901.4	LEED NC EQ 4.4; NAHB 901.4	
	FSC Certified Wood (Forest Stewardship Council)		LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	LEED H - MR 2.1; LEED NC - MR 7.0; NAHB - 606.2	
	PERFORMANCE	Made with sound-reducing, solid core – DorCor™	✓		✓
		Offers heft and feel of solid wood	✓		✓
Ready to paint and decorate		✓	✓	✓	

\*\*Standard Safe 'N Sound doors are available as CARB Phase 1 compliant in many areas of the country. For technical specification information, visit [www.masonite.com](http://www.masonite.com) or contact us at 800-663-DOOR (3667).

- This product contributes to satisfying the above credits of the U.S. Green Building Council's LEED® Green Building Rating System™. For more information on LEED®, visit [www.usgbc.org](http://www.usgbc.org).
- For more information on the NAHB National Green Building Program™, visit [www.nahb.org](http://www.nahb.org).
- Evaluations of the Green Certifications above are provided as a courtesy for Masonite customers, further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC® and LEED® are registered trademarks of the U.S. Green Building Council.

### Flush & Primed Hardboard Series

#### design & size options



	1-3/8"	Height		Width
		80"	84" 96"	
SNS	✓	✓	12" - 36"	
ESNS	✓	✓	12" - 36"	
EHC	✓	✓	12" - 36"	

Above door available as bifolds (1-3/8" only)












MASONITE® FLUSH SAFE 'N SOUND® AND EMERALD (ECO-FRIENDLY) DOORS

www.masonite.com





# design.& size options

## MOLDED PANEL SERIES




	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	42"	16"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		<b>PASSAGE</b>												<b>BIFOLDS</b>										
<b>2 panel arch-top</b>																								
	smooth 80"	••••••••••••••••												••••••••••••••••										
	textured 80"	••••••••••••••••												••••••••••~•••••										
	smooth 84"	••••••••••~•••••												••••••••••••••••										
	smooth 96"	••••••~•••••												••••••••••~•••••										
<b>2 panel roman smooth</b>																								
	smooth 80"	••••••~•••••												••••••••••~•••••										
	smooth 84"	••••••~•••••												••••••~•••••										
	smooth 96"	••••••~•••••												••••••~•••••										
<b>2 panel</b>																								
	smooth 80"	••••••~••••~												••••••~••••~										
	smooth 84"	••••••~••••~												••••••~••••~										
	smooth 96"	••••••~••••~												••••••~••••~										
<b>3 panel</b>																								
	textured 80"	••••••~••••~												••••••~••••~										
<b>4 panel arch-top</b>																								
	textured 80"	••••••~••••~												••••••~••••~										
<b>4 panel</b>																								
	smooth 80"	••••••~••••~												••••••~••••~										
	textured 80"	••••••~••••~												••••••~••••~										
	smooth 84"	••••••~••••~												••••••~••••~										
	smooth 96"	••••••~••••~												••••••~••••~										
<b>6 panel</b>																								
	smooth 80"	••••••~••••~												••••••~••••~										
	textured 80"	••••••~••••~												••••••~••••~										
	smooth 84"	••••••~••••~												••••••~••••~										
	textured 84"	••••••~••••~												••••••~••••~										
	smooth 96"	••••••~••••~												••••••~••••~										
	textured 96"	••••••~••••~												••••••~••••~										
<b>6 panel Pre-Finished</b>																								
	Finished White 80"	••••••~••••~												••••••~••••~										
	MPS Amber Oak 80"	••••••~••••~												••••••~••••~										
	MPS Honey Oak 80"	••••••~••••~												••••••~••••~										
	MPS Sienna Oak 80"	••••••~••••~												••••••~••••~										
<b>6 panel commercial</b>																								
	smooth 80"	••••••~••••~												••••••~••••~										
	smooth 84"	••••••~••••~												••••••~••••~										

Molded Panel Series, Anniversary Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. \*Molded Panel actually measures 17"-13/16".

## ANNIVERSARY COLLECTION

	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"	
		<b>PASSAGE</b>												<b>BIFOLDS</b>									
<b>Cheyenne*</b>																							
	smooth 80"	••••••~••••~												••••••~••••~									
	smooth 96"	••••••~••••~												••••••~••••~									
<b>Glenview*</b>																							
	Smooth 80"	••••••~••••~												••••••~••••~									
<b>Riverside*</b>																							
	smooth 80"	••••••~••••~												••••••~••••~									
	smooth 84"	••••••~••••~												••••••~••••~									
	smooth 96"	••••••~••••~												••••••~••••~									
<b>Saddlebrook*</b>																							
	smooth 80"	••••••~••••~												••••••~••••~									
	smooth 96"	••••••~••••~												••••••~••••~									

## PALAZZO SERIES\*

	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	24"	30"	36"	48**	60**	72**
		<b>PASSAGE</b>												<b>BIFOLDS</b>					
<b>Bellagio*</b> (2 arched panels)																			
	smooth 80"	••••••~••••~												••••••~••••~					
	smooth 84"	••••••~••••~												••••••~••••~					
	smooth 96"	••••••~••••~												••••••~••••~					
<b>Capri*</b> (2 square panels)																			
	smooth 80"	••••••~••••~												••••••~••••~					
	smooth 84"	••••••~••••~												••••••~••••~					
	smooth 96"	••••••~••••~												••••••~••••~					
<b>Treviso*</b> (3 panels)																			
	smooth 80"	••••••~••••~												••••••~••••~					
	smooth 84"	••••••~••••~												••••••~••••~					
	smooth 96"	••••••~••••~												••••••~••••~					

\*These Palazzo bifolds are shipped as two 2-door units.

## FLUSH SERIES

	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"	
		<b>PASSAGE</b>												<b>BIFOLDS</b>									
<b>Hardboard</b>																							
	Raw & Primed	••••••~••••~												••••••~••••~									
<b>Veneer</b>																							
	Oak, Birch, Lauan/Okoume	••••••~••••~												••••••~••••~									
<b>Legacy* Prefinished</b>																							
	All Colors	••••••~••••~												••••••~••••~									

NOTE: Not all styles are available in all regions as stock products. Ask your Millwork Associate about special order and availability.





## masonite's commitment

At Masonite, employees from all parts of the Company – sales, marketing, research and development, customer service and manufacturing – understand that people love their homes. In the past, homes were purchased to meet functional needs. Today, homes are purchased to meet specific lifestyles and to satisfy the need to create multiple living environments within a single home. To meet these lifestyle needs, Masonite is continually creating new and innovative products that will make every home more beautiful, more valuable and more enjoyable. With the ultimate goal of adding beauty and value to every home, Masonite's products are designed and constructed to exacting standards and specifications. All materials – wood, fiberglass, steel or composites – are engineered and carefully selected to ensure lasting durability and timeless performance. For individuals who are building, renovating or redecorating, Masonite products are certain to beautify and accentuate a wide array of architectural home styles.



Masonite Helpline: 1-800-663-DOOR (1-800-663-3667) 9 a.m. to 9 p.m. Monday through Saturday, 10 a.m. to 4 p.m. Sunday, EST

Masonite®, "Masonite. The Beautiful Door.™" Safe 'N Sound®, Palazzo®, Palazzo Series®, Bellagio®, Belleville®, Barrington®, Capri®, Cheyenne®, Glenview®, Riverside®, Saddlebrook®, Treviso®, Environmentally Beautiful®, Legacy®, Emerald® and DorCor® are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification, design and product detail subject to change without notice. 86911041 12/10 PRINTED IN USA © 2010 by Masonite International Corporation



Printed on paper containing 10% postconsumer recycled content

MIC-10307 / 6559