








EXTERIOR DETAIL



STANDARD FEATURES

- 1 Pre-punched nailing fin with corner gasket for simple installation
- 2 Cam lock provides security and enhanced performance
- 3 4 9/16" jambs eliminates extensive drywall work
- **4** Both sash tilt in and remove for safe and easy cleaning of exterior glass
- 5 Profiled glazing bead in natural clear wood or cellular PVC for prefinished white to accentuate interior trim
- 6 Energy-efficient warm edge insulating glass
- 7 Rigid form-fitting vinyl cladding on sash and frame, fully welded at top two corners of frame for maximum protection against the elements
- 8 Integral exterior face groove allows for easy mulling
- **9** Weatherstripping on the bottom of each sash and on the window opening form a perimeter seal creating an air and water barrier
- **10** Convenient Easy-Tilt one touch tilt latch makes tilting in sash effortless
- Select clear wood interior ready for paint or stain to match any décor, also available in pre-finished white
- **12** Recessed full-width finger pulls in top and bottom sash for easy operation











Get more beauty for your buck with our 800 double hung units. They come standard with a convenient Easy-Tilt sash system that makes cleaning and maintaining simple. The interior glazed sash design creates shadow lines to help enhance the look and give more curb appeal. Plus, they're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles. Each option delivers a traditional look the increases the beauty and enhances the value of your home. Available in white and sandalwood exterior cladding options.



Rigid form-fitting vinyl cladding on sash and frame, fully welded at top two corners of frame for maximum protection against the elements



Cam lock provides security and enhanced performance



Convenient Easy-Tilt one touch tilt latch for easy tilt-in




800 CASEMENT & AWNING









STANDARD FEATURES

- Profiled glazing bead in natural clear wood or cellular PVC for prefinished white to accentuate interior trim
- 2 4 9/16" jambs made of clear wood eliminates extensive drywall work



- 4 Pre-punched nailing fin for simple and accurate installation
- 5 Rigid form-fitting vinyl cladding on sash and frame, fully welded at all four corners for maximum protection against the elements
- 6 Sash and interior made with select clear wood ready for paint or stain to match any interior décor, also available in pre-finished white
- 7 Integral face groove allows for easy mulling
- 8 Concealed multi-point locking system enhances weather performance and security
- 9 Energy-efficient warm edge insulating glass
- 10 Leaf weatherstripping on sash and bulb weatherstripping on frame for air-tight performance and smooth operation












Bring the beauty and value home with our 800 casement & awning windows. They feature an interior glazed sash to enhance your home's appearance and a weather-resistant stainless steel hinge track and adjustable hinge to ensure superior performance. They're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles to help you find a look that matches your home's style. The sash opens a full 90° for simple cleaning. Available in white and sandalwood exterior cladding options.



Rigid form-fitting vinyl cladding on sash and frame, fully welded at all four corners for maximum protection against the elements



Concealed multipoint locking system enhances weather performance and security



Smooth-functioning operating hardware, concealed for a clean appearance and allowing sash to open beyond a full 90°




800 SLIDING PATIO DOOR





EXTERIOR DETAIL



STANDARD FEATURES

- 1 4 9/16" jambs eliminates extensive drywall work
- 2 Composite sill combines wood, aluminum and vinyl for enhanced durability
- **3** Adjustable rollers ensure smooth operation
- 4 Natural wood interior ready for paint or stain to match any interior décor
- 5 Pre-punched nailing fin with corner gasket for simple installation
- 6 Rigid form-fitting vinyl cladding on door and frame for maximum protection against the elements
- 7 Energy-efficient warm edge insulating tempered glass
- 8 Color-coordinated exterior handle and solid bright brass interior handle
- **9** Full-perimeter weatherstripping for air-tight performance and smooth operation










Looking for more style and more value? Look no further than our 800 sliding doors. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. They're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles for a traditional look that fits your home and your style. Choose from a keyed, single point-lock exterior handle available in white, sandalwood or taupe. Then, choose from white and sandalwood low-maintenance, vinyl-clad exterior options. Standard sliding patio doors include a solid bright brass interior handle and a security foot bolt.



Adjustable rollers ensure smooth operation



Composite sill combines wood, aluminum and vinyl for enhanced durability



Color-coordinated exterior handle and solid bright brass interior handle




800 FRENCH SLIDING PATIO DOOR





EXTERIOR DETAIL



STANDARD FEATURES

- 1 4 9/16" jambs eliminates extensive drywall work
- 2 Energy-efficient warm edge insulating tempered glass
- Natural wood interior ready for paint or stain to match any interior décor
- 4 Pre-punched nailing fin with corner gasket for simple installation







- 8 Full-perimeter weatherstripping for air-tight performance and smooth operation
- **9** Adjustable rollers ensures smooth operation
- **10** Composite sill combines wood, aluminum and vinyl for enhanced durability









Make the most of your investment with our 800 French sliding patio doors. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. They're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles for a traditional look that fits your home and your style. Choose from handle sets available in solid bright brass, antique brass, oil rubbed bronze or satin nickel finish. Then, choose from white and sandalwood low-maintenance, vinyl-clad exterior options. Standard sliding patio doors include exterior handles with a keyed multi-point lock. A security foot bolt is also available.




Adjustable rollers ensure smooth operation



4 9/16" jambs eliminates extensive drywall work



Solid bright brass, antique brass, oil rubbed bronze or satin nickel interior and exterior handle sets (satin nickel shown)



800 CENTER HINGED PATIO DOOR





EXTERIOR DETAIL





STANDARD FEATURES

- 1 Pre-punched nailing fin with corner gasket for simple installation
- 2 Full-perimeter weatherstripping for air-tight performance and smooth operation
- **3** 4 ⁹/₁₆" jambs eliminates extensive drywall work



















Discover a door that's centered around value and quality. Our 800 center hinged patio doors are constructed with full-perimeter weatherstripping for a tight and consistent seal. They're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles for a traditional look that fits your home and your style. Choose from multi-point handle sets available in solid bright brass, antique brass, oil rubbed bronze or satin nickel finish. Select from a variety of door configurations including no bore, dead bolt bore or multi-point bore. Then, choose from white and sandalwood low-maintenance, vinyl-clad exterior options.



Handle sets also come in solid bright brass, antique brass, or oil rubbed bronze with matching hinge and strike



Composite sill, combines wood, aluminum and vinyl for enhanced durability



800 FRENCH HINGED PATIO DOOR





EXTERIOR DETAIL



STANDARD FEATURES

- 1 1 3/4" panels with wide stiles and rails for a true French look
- 2 Natural wood interior ready for paint or stain to match any interior décor
- **3** Energy-efficient warm edge insulating tempered glass
- Full-perimeter weatherstripping for air-tight performance and smooth operation
- 5 Prepared for handle hardware with your choice of multi-point, deadbolt, or single bore; handle hardware available in a variety of finishes: bright brass, antique brass, oil rubbed bronze or satin nickel interior and exterior handle sets (satin nickel shown)
- 6 Pre-punched nailing fin with corner gasket for simple installation
- 7 Rigid form-fitting vinyl cladding on frame with pultruded fiberglass on door panels for maximum protection against the elements
- 8 4 9/16" jambs eliminates extensive drywall work
- **9** Composite sill combines wood, aluminum and vinyl for enhanced durability









Our 800 French hinged patio doors provide looks and value that lasts. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. They're available in a variety of grille options including simulated-divided-lite (SDL), grilles-between-the-glass or wood grilles for a traditional look that fits your home and your style. Choose from handle sets available in solid bright brass, antique brass, oil rubbed bronze or satin nickel finish. Then, choose from white and sandalwood low-maintenance, vinyl-clad exterior options. Standard sliding patio doors include exterior handles with a keyed multi-point lock.



Full-perimeter weatherstripping for airtight performance and smooth operation



Composite sill combines wood, aluminum and vinyl for enhanced durability




Solid bright brass, antique brass, oil rubbed bronze or satin nickel interior and exterior handle sets with matching hinge and strike



CLASSIC SINGLE HUNG





STANDARD FEATURES

- Classic brick mould profile provides an authentic sculptured appearance that matches traditional exterior millwork
- 2 Interior and exterior accessory grooves allow for easy accessory application
- **3** Bottom sash tilts in and removes for safe and easy cleaning of exterior glass
- Weather-tight dual action sash lock provides security while sealing out the weather and sealing in your comfort
- 5 Energy-efficient warm edge insulating glass for enhanced energy efficiency
- **6** Low-profile sill nosing resembles a traditional wood window
- 7 Integral nailing fin with welded corners for simple and accurate installation
- 8 Maintenance-free multi-chamber PVC construction with fusion welded corners for durability, weather-tight performance and beauty
- 9 Robust interlock satisfies forced entry requirements and improves structural performance
- 10 Integral ¹¹/₁₆" siding pocket with undersill trim leg allows for simple and secure siding installation













Maximize the performance and the value with our Classic vinyl single hung windows. Twin and triple units can be ordered in an integral mull design with a continuous head and sill for a cleaner appearance. Choose from a variety of shapes including operating true radius, operating arch and operating uneven leg arch.



Maintenance-free multi-chamber PVC construction with fusion welded corners for durability and weather-tight performance



Robust interlock satisfies forced entry requirements and improves structural performance



Integral ¹¹/₁₆" siding pocket with undersill trim leg allows for simple and secure siding installation




CLASSIC DOUBLE HUNG









STANDARD FEATURES

- authentic sculptured appearance that matches traditional exterior millwork
- Interior and exterior accessory grooves allow for easy accessory application
- **3** Both sash tilt in and remove for safe and easy cleaning of exterior glass
- 4 Weather-tight dual action sash lock provides security while sealing out the weather and sealing in your comfort
- 5 Energy-efficient warm edge insulating glass for enhanced energy efficiency
- Low-profile sill nosing resembles a traditional
- Integral nailing fin with welded corners for
- 8 Maintenance-free multi-chamber PVC durability, weather-tight performance and beauty
- 9 Robust interlock satisfies forced entry requirements and improves
- trim leg allows for simple and secure siding installation









Our Classic vinyl double hung windows are taking quality and tilting sash system that allows for easy cleaning. Integral mulls are available on twin and triple units providing a continuous head and sill for a sleeker appearance and enhanced performance.



Maintenance-free multi-chamber **PVC** construction with fully welded corners for durability and weather-tight performance



Robust interlock satisfies forced entry requirements and improves structural performance



Integral 11/16" siding pocket with undersill trim leg allows for simple and secure siding installation



CLASSIC CASEMENT & AWNING





STANDARD FEATURES



- 1 Integral nailing fin with welded corners for simple and accurate installation
- 2 Interior and exterior accessory grooves for easy accessory application
- 3 Maintenance-free multi-chamber PVC construction with fusion welded corners for durability, weather-tight performance and beauty
- 4 Energy-efficient warm edge insulating glass for enhanced energy efficiency
- 5 Single-handle multi-point locking system so you can easily secure your windows in one operation
- 6 Split–arm gear operator for call sizes up to 3050 and dual-arm gear operator on larger units to ensure smooth operation when opening and closing your windows









e a ck and cisse e c constant



Make your view one-of-a-kind with Classic casement & awning windows. They feature a weather-resistant stainless steel hinge track and an adjustable hinge to ensure smooth, precise operation. The sash opens a full 90° to make cleaning easy. Select from our field applied snap-on exterior brick mould, field applied snapon stucco fin, coastal hardware and expanded access hardware.



Maintenance-free multi-chamber PVC construction with fully welded corners for durability and weather-tight performance



Single-handle multipoint locking system so you can easily secure your windows in one operation



Split-arm gear operator to ensure smooth operation when opening and closing your windows



CLASSIC SLIDING WINDOW







STANDARD FEATURES

- 1 Interior and exterior accessory grooves allow for easy accessory application
- 2 Maintenance-free multi-chamber PVC construction with fusion welded corners for durability, weather-tight performance and beauty
- 3 Robust interlock satisfies forced entry requirements and improves structural
- 4 Weather-tight dual action sash lock provides security while sealing out the weather and sealing in your comfort
- 5 Integral 11/16" siding pocket with undersill trim leg allows for simple and secure siding
- 6 Easy-gliding lift-out sash with durable nylon pads for simple cleaning and smooth operation
- Energy-efficient warm edge insulating glass for enhanced energy efficiency









Get an authentic look at a classic value. Our Classic sliding windows feature brick mould exteriors for an authentic sculpted appearance that matches traditional exterior millwork. Plus, they have convenient lift-out sashes for easy cleaning.



Maintenance-free multi-chamber PVC construction with fully welded corners for durability and weather-tight performance



Robust interlock satisfies forced entry requirements and improves structural performance




Weather-tight dual action sash lock provides security while sealing out the weather and sealing in your comfort



CLASSIC SLIDING PATIO DOOR





STANDARD FEATURES



- Pre-punched nailing fin with fusion welded corners for simple and accurate installation
- 2 Interior and exterior accessory groove for drywall return, extension jamb and exterior brick mould application
- 3 Maintenance-free multi-chamber PVC construction with fully welded corners for weather-tight performance
- 4 Self-centering interlock satisfies forced entry requirements
- 5 Energy-efficient warm edge insulating tempered glass for enhanced energy efficiency
- **6** Field reversible panels for simple on-site conversions (8-0 height is not reversible)
- 7 Simple roller adjustment access through end of panel ensures smooth operation
- 8 Aluminum threshold and sill track for enhanced durability

One door opens up all kinds of possibilities. Our classic sliding patio doors feature a unique design that allows for simple field reversibility before or even after installation. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. Choose exterior handles with or without a keyed lock. Plus, you can pick from a variety of optional features including an ADA compliance kit with handle and ramps, snap-on exterior brick mould (field-applied) and coastal hardware.

















Maintenance-free multi-chamber PVC construction with fully welded corners for weather-tight performance



Self-centering interlock

satisfies forced entry




Simple roller adjustment access through end of panel ensures smooth operation










EXTERIOR DETAIL



STANDARD FEATURES

- structural performance
- 2 4 9/16" jambs eliminates extensive drywall work
- **3** With standard compression balance system cleaning of exterior glass
- 4 Low-maintenance cellular PVC exterior components and brick mould ready to accept
- 5 Energy-efficient warm edge insulating glass
- Traditional wood designed stile and rail construction
- Sash made from low-maintenance cellular PVC components ready to accept acrylic latex paints
- Foam-filled bulb weatherstripping on bottom rail creates an efficient weather barrier









The style. The features. The value. Our 400 double hung wood/composite units feature sash and exterior components made from low-maintenance cellular PVC to help increase performance and resist rot. They are optionally configured with our Easy-Tilt sash system, which makes cleaning your windows virtually effortless. Our selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.




Traditional wood designed stile and rail construction



Cam lock provides security and enhanced performance



Robust interlock design for enhanced structural performance









STANDARD FEATURES


- 1 4 9/16" jambs eliminates extensive drywall work
- **2** Both sash tilt in and remove for safe and easy cleaning of exterior glass
- 3 Low-maintenance cellular PVC exterior components and brick mould ready to accept acrylic latex paints











9 Energy-efficient warm edge insulating glass









Add durability and beauty to any home with our 300 double hung units. They feature paint-free all vinyl sashes for increased performance and convenience. And, when you upgrade to our more convenient Easy-Tilt sash system, cleaning your windows will be easier than ever. Our selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Paint-free all-vinyl sash fully welded at the corners




Dual action sash lock provides security and enhanced performance



Balances counterbalanced with quiet, adjustable springs for smooth up and down action







STANDARD FEATURES

- 1 Low-maintenance cellular PVC exterior casing and brick mould ready to accept acrylic paint
- 2 Cam action sash locks with matching white jambliner
- **3** 4 ⁹/₁₆" jambs eliminates extensive drywall work
- **4** Both sash tilt in and remove for safe and easy cleaning of exterior glass
- 5 Energy-efficient warm edge insulating glass
- 6 Sash and interior made with select clear wood ready for staining to match any interior décor – also available with primed interior for painting
- **7** Bulb weatherstripping on sash for air-tight performance and smooth operation
- 8 Compression balance system for simple tilt-in cleaning of exterior glass









Style comes standard with all of our 200 double hung wood/composite windows. They are equipped with a tilt-in sash system that makes cleaning simple. The low-maintenance cellular PVC exterior components and brick mould resist rot and can easily be painted. A selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Low-maintenance no-rot cellular PVC exterior casing and brick mould primed and ready to accept acrylic paint



Sash and interior made with select clear wood ready for paint or stain to match any interior décor




Compression balance system for simple tilt-in cleaning of exterior glass



200 CASEMENT & AWNING





STANDARD FEATURES

- Low-maintenance cellular PVC exterior and brick mould ready to accept acrylic latex paints
- 2 Energy-efficient warm edge insulating glass
- 3 Smooth-functioning operating hardware, concealed for a clean appearance and allowing sash to open beyond a full 90°
- 4 4 9/16" jambs eliminates extensive drywall work
- 5 Sash and interior made with select clear wood ready for staining to match any interior décoralso available with primed interior for painting
- 6 Concealed multi-point locking system, enhancing weather performance and security
- 7 Leaf weatherstripping on sash and bulb weatherstripping on frame for air-tight performance and smooth operation









Don't just add looks; add value with our 200 casement & awning wood/composite windows. They feature a weather-resistant stainless steel hinge track and an adjustable hinge that ensures consistent and precise operation. The sash opens a full 90° for simple cleaning. Low-maintenance cellular PVC exterior components and brick mould help resist rot and are ready to be painted. A selection of exterior cladding options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Concealed multi-point locking system, enhancing weather performance and security



Sash and interior made with select clear wood ready for paint or stain to match any interior décor



Smooth-functioning operating hardware, concealed for a clean appearance and allowing sash to open beyond a full 90°



200 SLIDING PATIO DOOR





STANDARD FEATURES

- 1 Full-perimeter weatherstripping for air-tight performance and smooth operation
- 2 Low-maintenance cellular PVC exterior brick mould with water-repellent preservative treated wood components are ready for acrylic latex paints
- 3 Natural wood ready for staining to match any interior décor also available with primed interior for painting
- 4 4 9/16" jambs eliminates extensive drywall work
- 5 Energy-efficient warm edge insulating tempered glass
- 6 Adjustable rollers ensure smooth operation
- 7 Composite sill, combines wood, aluminum and vinyl for enhanced durability
- 8 Metal exterior handle with wood trim interior handle









Take your home's value up a notch with our 200 sliding patio doors. They feature a low-maintenance cellular PVC brick mould and water-repellent wood preservative treated exterior components that are ready to be painted. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. Exterior handles are available with or without a keyed lock. A selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Full-perimeter weatherstripping for air-tight performance and smooth operation



Adjustable rollers ensure smooth operation



4 ⁹/₁₆" jambs eliminates extensive drywall work



200 FRENCH SLIDING PATIO DOOR





STANDARD FEATURES

- 1 Energy-efficient warm edge insulating tempered glass
- 2 Low-maintenance cellular PVC exterior brick mould with water-repellent preservative treated wood components are ready for acrylic latex paints
- 3 Vinyl-wrapped foam-filled full-perimeter weatherstripping for air-tight performance and smooth operation
- 4 Natural wood ready for staining to match any interior décor – also available with primed interior for painting
- 5 Multipoint hardware available in a variety of finishes: bright brass, antique brass, oil rubbed bronze or satin nickel interior and exterior handle sets (satin nickel shown)
- 6 4 9/16" jambs eliminates extensive drywall work
- 7 Composite sill combines wood, aluminum and vinyl for enhanced durability
- 8 Adjustable rollers ensure smooth operation
- 9 1 3/4" panels with wide stiles and rails for true









Give your home the extra touch it needs with our 200 French sliding patio doors. They feature a low-maintenance cellular PVC brick mould and water-repellent wood preservative treated exterior components that are ready to be painted. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. Exterior handles come standard and a security foot bolt is also available. A selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Bright brass (standard) antique brass, oil rubbed bronze or satin nickel with matching hinge and strike



Adjustable rollers ensure smooth operation



Composite sill, combines wood, aluminum and vinyl for enhanced durability




200 CENTER HINGED PATIO DOOR





STANDARD FEATURES

- Optional multi-point locking hardware with adjustable hinge option[‡]
- 2 Vinyl-wrapped foam-filled full-perimeter weatherstripping for air-tight performance and smooth operation
- 3 Low-maintenance cellular PVC exterior brick mould with water-repellent preservative treated wood components are ready for acrylic latex paints







- 7 Standard is no bore, single bore, or dead bolt bore without hardware; handle hardware available in a variety of finishes: bright brass, antique brass, oil rubbed bronze or satin nicked interior and exterior handle sets (satin nickel shown)
- 8 Energy-efficient warm edge insulating tempered glass
- 9 Composite sill combines wood, aluminum and vinyl for enhanced durability









Bring out the best in your home with our 200 center hinged patio doors. They feature a low-maintenance cellular PVC brick mould and water-repellent wood preservative treated exterior components that are ready to be painted. They are constructed with full-perimeter weatherstripping for a tight and consistent seal. Exterior handles come standard. A selection of exterior casing options and simulated-divided-lite (SDL) provide a historically accurate look to help enhance the beauty of your home.



Vinyl-wrapped foam-filled full-perimeter weatherstripping for air-tight performance and smooth operation



Bright brass (standard), antique brass, oil rubbed bronze or satin nickel with matching hinge and strike



Multi-fin door sweep on operating panel

THERMAL PERFORMANCE DATA

MW PRO SERIES 800 (VINYL-CLAD PRODUCTS)

MW PRO SERIES 800 DOUBLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
5/8" Clear	2.04	0.49	0.58	0.61
5/8" Low-E	2.70	0.37	0.28	0.52
	3.03	0.33	0.27	0.52

MW PRO SERIES 800 CASEMENT

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.17	0.46	0.54	0.56
	2.94	0.34	0.25	0.48
³/₄" HP Glass¹	3.23	0.31	0.25	0.48

MW PRO SERIES 800 AWNING

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.17	0.46	0.54	0.56
	2.94	0.34	0.25	0.48
	3.23	0.31	0.25	0.48

MW PRO SERIES 800 SLIDING PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.13	0.47	0.62	0.64
3/4" Low-E	2.94	0.34	0.29	0.54
³/₄" HP Glass¹	3.33	0.30	0.29	0.54

MW PRO SERIES 800 FRENCH SLIDING PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.50	0.52
3/4" Low-E	2.94	0.34	0.24	0.44
³/₄" HP Glass¹	3.23	0.31	0.24	0.44

MW PRO SERIES 800 CENTER HINGED PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.47	0.49
	2.94	0.34	0.22	0.41
	3.13	0.32	0.22	0.41

MW PRO SERIES 800 FRENCH HINGED PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.17	0.46	0.47	0.49
3/4" Low-E	2.86	0.35	0.23	0.41
³/4" HP Glass¹	3.03	0.33	0.23	0.41

MW PRO SERIES CLASSIC (VINYL PRODUCTS)

MW PRO SERIES CLASSIC SINGLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.08	0.48	0.61	0.64
3/4" Low-E	2.86	0.35	0.29	0.54
³/₄″ HP Glass¹	3.23	0.31	0.28	0.54

MW PRO SERIES CLASSIC DOUBLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.13	0.47	0.59	0.62
3/4" Low-E	2.94	0.34	0.28	0.52
3/4" HP Glass1	3.23	0.31	0.28	0.52

MW PRO SERIES CLASSIC CASEMENT

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.33	0.43	0.54	0.55
3/4" Low-E	3.13	0.32	0.25	0.46
³/₄″ HP Glass¹	3.45	0.29	0.24	0.46

MW PRO SERIES CLASSIC AWNING

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.27	0.44	0.52	0.54
3/4" Low-E	3.13	0.32	0.25	0.46
³/₄" HP Glass¹	3.45	0.29	0.24	0.46

MW PRO SERIES CLASSIC SLIDING WINDOW

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.08	0.48	0.59	0.62
3/4" Low-E	2.86	0.35	0.28	0.53
³/₄" HP Glass¹	3.23	0.31	0.28	0.53

MW PRO SERIES CLASSIC SLIDING PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.17	0.46	0.62	0.65
3/ ₄ " Low-E	3.03	0.33	0.29	0.55
³/₄" HP Glass¹	3.45	0.29	0.29	0.55

1. HP glass option combines Low-E with argon gas fill for high performance.

THERMAL PERFORMANCE DATA

MW PRO SERIES 400, 300 AND 200 (WOOD/COMPOSITE & WOOD PRODUCTS)

MW PRO SERIES 400 DOUBLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.58	0.61
3/4" Low-E	3.13	0.32	0.27	0.51
³/₄" HP Glass¹	3.45	0.29	0.27	0.51

MW PRO SERIES 300 DOUBLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.17	0.46	0.61	0.63
³/ ₄ " Low-E	3.03	0.33	0.28	0.53
³/₄" HP Glass¹	3.45	0.29	0.28	0.53

MW PRO SERIES 200 DOUBLE HUNG W/SDL

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
⁷ / ₁₆ " Clear	1.85	0.54	0.58	0.61
⁷ / ₁₆ " Low-E	2.22	0.45	0.28	0.52
7/16" HP Glass1	2.50	0.40	0.28	0.52

MW PRO SERIES 200 DOUBLE HUNG

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
⁵/8″ Clear	2.08	0.48	0.58	0.61
5/8" Low-E	2.78	0.36	0.28	0.52
⁵/8″ HP Glass¹	3.13	0.32	0.27	0.52



ENERGY	STAR®	Qualifi	cation	Criteria
\//	אוחחואו	ls and	DOOR	2

Zone	U-Factor	SHGC
Northern	≤ 0.35	ANY
North/Central	≤ 0.40	≤ 0.55
South/Central	≤ 0.40	≤ 0.40
Southern	≤ 0.65	≤ 0.40

MW PRO SERIES 200 CASEMENT

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.53	0.56
3/4" Low-E	3.03	0.33	0.25	0.47
³/₄" HP Glass¹	3.33	0.30	0.25	0.47

MW PRO SERIES 200 AWNING

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.53	0.56
3/4" Low-E	3.03	0.33	0.25	0.47
³/4" HP Glass¹	3.33	0.30	0.25	0.47

MW PRO SERIES 200 SLIDING PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.08	0.48	0.62	0.65
3/4" Low-E	2.94	0.34	0.29	0.55
³/4" HP Glass¹	3.33	0.30	0.29	0.55


MW PRO SERIES 200 FRENCH SLIDING PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.51	0.52
3/4" Low-E	2.94	0.34	0.24	0.44
³/₄" HP Glass¹	3.23	0.31	0.24	0.44

MW PRO SERIES 200 CENTER HINGED PATIO DOOR

		NFRC CERTIFIED		
	R Value	U Value	SHGC	VT
³/₄" Clear	2.22	0.45	0.47	0.49
3/4" Low-E	2.94	0.34	0.22	0.41
³/4" HP Glass¹	3.13	0.32	0.22	0.41

ENERGY STAR CLIMATE ZONES



All units are NAMI certified and rated in accordance with NFRC 100/200 standards by an AAMA accredited lab. Performance values reflect the performance of units tested with the following configuration: 3mm glass, no grilles and IGU thickness specified in the chart.

R VALUE: Restrictive ambient air flow U VALUE: Rate of heat loss SHGC: Solar Heat Gain Coefficient VT: Visible Transmittance GLASS OPTIONS SCREENS

- Low-E
- HP Glass (Low-E/Argon)
- Low-E/Tinted
- Obscure

- Tinted
- Laminated (security)
- Tempered*
- * Tempered glass is standard on Sliding Patio Doors

Pro Series screens feature white aluminum frames with fiberglass mesh. Screens for single hung units are half-length while screens for double hung, casement, awning and slider windows are full-length. Sliding patio door screens are full-length and feature steel rollers for ease of operation.

WHAT IS LOW-E?

It is a microscopically thin, virtually invisible metallic oxide layer deposited on a window glazing surface. Low-E can reduce heating and cooling bills while dramatically improving overall comfort.

Ply Gem Windows and Patio Doors with the High Performance Low-E glazing system can be configured to meet the ENERGY STAR® guidelines for thermal efficiency in all climate regions.







CLASSIC VINYL IMPACT WINDOWS & DOORS

- **Single hung windows** are constructed to meet DP50 performance.
- Casement windows feature corrosion-resistant coastal hardware and are constructed to meet DP60 performance.
- Sliding patio doors feature corrosion-resistant coastal hardware and are constructed to meet DP50 performance.
- Architectural shape windows are constructed to meet DP50 performance.
- Rated in accordance with the International Residential Codes and meet impact requirements in U.S. Zone 2 (110-120 mph) and Zone 3 (120-140 mph).
- Passes ASTM E1886/1996 Large Missile Impact and Cycling Tests.
- Meets AAMA/WDMA/CSA 101/I.S.2/A440 standard. Florida Building Commission Approved.
- Meets wind-borne debris specifications for large missile D (8' missile for Impact Zone 3 at 50 ft/sec) and small missile C (4' missile for Impact Zone 2 at 40'/sec)



COLOR OPTIONS



	INT.	EXT.	INT.	EXT.	EXTERIOR	INT.	EXT.	INTERIOR
800 Double Hung	•	•						
800 Casement & Awning	•	•						
800 Sliding Patio Doors		•						
800 French Sliding Patio Doors		•						
800 Center Hinged Patio Doors		•						
800 French Hinged Patio Doors		•						
Classic Single Hung	•	•						
Classic Double Hung	•	•						
Classic Casement & Awning	•	•						
Classic Sliding Windows	•	•						
Classic Sliding Patio Doors	•	•						
400 Double Hung‡	•	•						
300 Double Hung*	•	•						
200 Double Hung**								
200 Casement & Awning**								
200 Sliding Patio Doors**						•		
200 French Sliding Patio Doors**								
200 Center Hinged Patio Doors**						•	•	

Colors shown may not be accurate representations. For color matching, please request color swatches from your Ply Gem sales representative

- * 300 double hung colors indicate the color of the all-vinyl sash. The all-vinyl sash must not be painted. The exterior casing and other interior exposed surfaces are constructed from cellular PVC components that are ready to accept acrylic latex paint.
- ** 200 windows and doors feature PVC exterior components with water-repellent preservative treated wood sash and door panels primed on the exterior.
- ‡ 400 double hung units are constructed from cellular PVC components that are ready to accept acrylic latex paint.

HARDWARE OPTIONS

Hardware and Finish Options for 200 and 800 Patio Door Classic Patio Door Hardware and Finish Options Sliding Door WHITE SANDALWOOD ANTIQUE BRASS (EXTERIOR HINGED DOOR HANDLE SHOWN) * Handles shown with keyed lock option. TAUPE

EXTERIOR CASING OPTIONS FOR MW PRO 400, 300 **AND 200 SERIES**


STANDARD GRILLE **PATTERNS**












Half Colonial

Plaza














EXTENSION JAMBS

MW PRO SERIES 800


Available in primed or natural "clear" wood custom from $4^{9}/_{16}$ " to $6^{9}/_{16}$ " on doors and $8^{9}/_{16}$ " on windows

MW PRO SERIES CLASSIC


Available in primed or natural "clear" wood custom from $4^{9}/_{16}$ " to $6^{9}/_{16}$ " on doors and $8^{9}/_{16}$ " on windows

MW PRO SERIES 400, 300 AND 200

Available in primed or natural "clear" wood custom from $4^{9}/_{16}$ " to $6^{9}/_{16}$ " on doors and $8^{9}/_{16}$ " on windows







Two over Two

Two over One

Call customer service for optional grille patterns (800.999.8400)

GRILLE STYLES

ALL OPTIONS FOR MW PRO 800, 400, 300 AND 200 SERIES

5/8" Flat GBG





GBG











5/8" Removable

1 ¹/₁₆" Removable Grilles²

